

Thomas Brown & Sons Ltd.
Funeral Directors and Memorials
Tel:01896 822632
East Port, Melrose, Scottish Borders, TD6 9EE

2nd November 2016

Historic Scotland
Melrose Abbey


Methodology statement

Excavation of foundations:- to an approximate depth of 450mm and 50mm wider than all edges of the base, joint between base and foundation to be under ground


Concrete mix:- 20mm gravel / sand mixed with cement to a ratio of 1 cement to 4 concrete mix

Dowels and jointing:- 25mm threaded stainless steel dowels to joint between base of memorial and foundation, (acting as anchor pin) base bedded on pure cement bed

Dowels between plate and base:- 16mm threaded stainless steel dowel fitted into drilled holes and anchored with “Memfix” chemical resin



Elevation of position of dowels and foundation



Plan showing memorial on Foundation

