Ancient Monuments and Archaeological Areas Act 1979

It is important that you read the accompanying guidance notes as incorrect completion will delay the processing of your application. You can complete and submit this form by email (scheduledmonumentconsent@hes.scot) or by post to Heritage Management Business Support, Historic Environment Scotland, Longmore House, Salisbury Place, Edinburgh, EH9 1SH.

1 Applicant name and address

Title	Mr		**John**	**Surname**	Oliver
Company / Organisation					
Building No / Name	3 Croft Loan				
Street	Ceres				
Town / City	Cupar				
County / Region	Fife				
Postcode	KY15 5NR				

2 Monument to which application applies

Index no	880	**Name**	Peekie Bridge
Local Authority	Fife	**Grid Ref**	NO 560 126
Description of location of land	Bridge over the Kenly Water at Peekie Mill		

3 Pre-application discussions

Have you undertaken pre-application discussions with Historic Environment Scotland? (If yes, please give details below)	**Yes**

Advice on types of mortar and methodology for the repairs has been discussed with Deirdre Cameron and Martin Brann of HES. This work is being supported by an HES Monument Management Grant.

4 Summary of proposed works (max 20 words)

Replacement and repair of washed out masonry at the bottom of one of the bridge piers using original stones.

5 Description of proposed works

A small temporary dam will have to be made at the foot of the pier to keep the burn back during the repair. However, a bank of gravel has built up here in recent months allowing much easier access to the area to be prepared. The burn is also currently ~~at/a~~ very low due to works at Cameron Reservoir, which is the source.

A suitable sand lime mix will be used (NHL5), which will withstand the wet environment. The washed out area of rubble core will be replaced with stone of a compatible composition which is available immediately adjacent to the site. The *in situ* facing stone above the gap will be jacked up and the recovered facing stone reinstated below, fixed with pinning stones.
Further areas of missing facing stone will be made good as per the core area; this will help to differentiate clearly between original fabric and modern repair.
No scaffolding will be required.

6 List of plans, drawings and other documents accompanying application (continue on separate sheet if necessary)

No	Description	Reference	Document emailed	Document posted
1.	Peekie Bridge Location		☐	☑
2.	Damaged area of bridge from S	Image 1	☐	☑
3.	Damaged area of bridge from W	Image 2	☐	☑
4.	Damaged area of bridge from W, detail.	Image 3	☐	☑
5.			☐	☐

7 Nature Conservation – Protected Places and Species

Will the proposed works affect any of the following:

Yes	No	
☐	☑	Site of Special Scientific Interest
☐	☑	Special Protection Areas
☐	☑	Special Areas of Conservation
☐	☑	European Protected Species

If Yes, please give details below

8 Other information relevant to application

The missing facing stone is lying on the river bank.
This work to Peekie Bridge represents running repairs and they do not extend the structure beyond its current foot print or change its structural characteristics. As such, it is concluded that they do not require authorisation from SEPA.

9 Declaration

☑ I hereby apply for scheduled monument consent for the works described in this application and shown on the accompanying plans and drawings.

☑ I confirm that the information I have given on this form is true and accurate.			
Name	John Oliver [redacted]	**Date**	15/6/2016
On behalf of			
Where an application is being dealt with by an agent to whom correspondence should be sent, state the:-			
Name of Agent		**Tel No**	
Address			
		Post Code	