

**Ft Charlotte East wall head and internal elevation**



Reinstate and rebed loose stones



Rake out old settlement cracks, tamp and grout



Rake out old settlement cracks, tamp and grout.



Rake out failing mortar, clean out weed pockets, grout where practicable, repoint




Rake out and repoint embrasure paving to remove weeds traps



Rake out old settlement cracks, tamp and grout, rebed loose stones, rake out weak pockets and repoint (old sound mortar of various periods it to be left in place)

Works to be along full length of wall underpinned in 2007





Loose stones rebedded, cracked chased out (grouted if practicable), all pervious sound mortar to remain.



Open joints to be repointed, broken mortar to be removed and renewed.



Weed pockets to be raked out and filled with new mortar



Old settlement cracks to be raked out tamped and grouted, broken mortar to be removed and renewed



Old settlement cracks to be raked out, tamped and grouted if practicable, open joints to be repointed.



Loose stones to be rebedded.



Old settlement cracks to be raked out, tamped and grouted.



Old settlement cracks to be raked out, tamped and grouted if practicable.



Old settlement cracks to be raked out, tamped and grouted. Tamping to be left recessed to match earlier mortars on the wall to be discreet.



Old settlement cracks to be raked out, tamped and grouted if practicable



Weed pockets to be removed and repointed, open joints to be pointed, old settlement cracks to be raked out, tamped and grouted if practicable.



Old settlement cracks to be raked out, tamped and grouted if practicable

MJP: 12/7/16