



Protected Places and Species Assessment

Case ID: 201602910

02 September 2016

Antonine Wall and fortlet, 430m E to 850m WSW of Kinneil House

Pt A Protected Places

1 Site of special scientific interest

Are the works located within the boundary of a SSSI? No

Note: If 'Yes', SNH must be consulted prior to issuing consent.

2 Natural Sites

Are the proposed works directly connected with or necessary for site management for nature conservation? No
If No, go to next Q

Is the proposal likely to have a significant affect on an SPA or SAC? Give details of your reasoning below, identifying any SPA or SACs:

NA

If an 'Appropriate Assessment' is required, please enter details below (after consultation with SNH)

Will the proposal adversely affect the integrity of the site?
Note: If 'yes' or 'not sure' the application should be refused

Yes / No/ Not Sure

Pt B Protected Species

1 Plants

Is there any evidence to suggest the following EPS plants may be present on site?

Fern, Killarney

No

Naiad, Slender

No

Plantain, Floating-leaved water

No

Saxifrage, Yellow Marsh

No

Is there any evidence to suggest that the following EPS animals may be present on site, or nearby?

Bats (all varieties)

No

(For bats only, please give details of your assessment of the likely presence of bats on the monument)

Scottish Wildcat

No

Sand Lizard

No

(only known colony is on Coll)

Great Crested Newt (Distribution mainly South Scotland, Central belt and Inverness Area)	No
Common Otter	No
Natterjack Toad (Distribution mainly south coast of Dumfriesshire)	No
If 'Yes', what implications do the proposed works have on the species in question?	
Can the negative impacts be prevented through alteration of plans or attachment of conditions? (Please give details below)	NA
If 'No', are the works likely to meet the first two tests prescribed in regulation 44: 1. public health and safety or public interest 2. no satisfactory alternative Please give details below	NA
Note: If 'No' then the application should be refused on the grounds of the impact on EPS.	
If 'Yes', do SNH consider that the proposed works will be detrimental to the maintenance of the population of the EPS concerned at a favourable conservation status in their natural range?	NA
Note: If 'Yes' then the application should be refused on the grounds of the impact on EPS.	

Simon Stronach

Useful Links:

[Guidance](#)

[ARCGIS Project](#)