





Notes: KEY

 New dehumidifier

 Condense pipe

 Photo location

Photos can be found on drawing 10004

GALLERY

1

3no. dehumidifiers in sound reducing timber casings (1030mm H x 800mm W x 500mm D) spaced equally along the rear wall of the Gallery.

3no. condense pipes clipped at skirting level along back wall of Gallery and taken down through 1no. 25mm dia. hole through the floorboards hard against the skirting. Power to units supplied by exiting sockets along back wall at skirting level.

THE GREAT HALL

***Do not scale from drawing**

Revisions:

Contains Historic Environment Scotland, Ordnance Survey and Aerial Imagery Data © Historic Environment Scotland © Crown copyright and database rights 2022 Ordnance Survey [100057073] © Getmapping
Ordnance Survey Data
You are permitted to use this data solely to enable you to respond to, or interact with, the organisation that provided you with the data. You are not permitted to copy, sub-licence, distribute or sell any of this data to third parties in any form.

THE GREAT HALL DEHUMIDIFIER INSTALLATION FIRST FLOOR PLAN SMC

BUILDING: Edinburgh Castle
PROJECT: The Great Hall Installation of Dehumidifiers

HISTORIC ENVIRONMENT SCOTLAND / ÀRAINNEACHD EACHDRAIDHEIL ALBA

PROJECT DRAWING NUMBER: PIC2220-EST-SMC-20220922-10002-V0200-FPI
SCALE: 1:50 @ A3 PROJECT: Bruce Chandler
DATE: 22nd September 2022 DRAWN BY: David Nicol
ARCHIVE NUMBER: -----

The Great Hall/Queen Anne Building - First Floor Plan (Scale 1:50)

